

0057285

H1576

RECEIVED
JUN 10 2002**EDMC**Lionville Laboratory, Inc.
VOA ANALYTICAL DATA PACKAGE FOR
TNU-HANFORD B02-007

DATE RECEIVED: 11/02/01

LVL LOT # :0111L258

CLIENT ID	LVL #	MTX	PREP #	COLLECTION	EXTR/PREP	ANALYSIS
B13C83	001	W	01LVX487	10/29/01	N/A	11/08/01
B13CT0	002	W	01LVX487	10/31/01	N/A	11/08/01
B13CT0	002 MS	W	01LVX487	10/31/01	N/A	11/08/01
B13CT0	002 MSD	W	01LVX487	10/31/01	N/A	11/08/01

LAB QC:

VBLKJS	MB1	W	01LVX487	N/A	N/A	11/08/01
VBLKJS	MB1 BS	W	01LVX487	N/A	N/A	11/08/01





Client: TNU-HANFORD B02-007
LVL #: 0111L258
SDG/SAF #: H1569, H1576/B02-007

W.O. #: 11343-606-001-9999-00
Date Received: 11-02-2001

GC/MS VOLATILE

Two (2) water samples were collected on 10-29,31-2001.

The samples and their associated QC samples were analyzed according to criteria set forth in Lionville Laboratory OPs based on SW 846 Method 8260B for TCL Volatile target compounds on 11-08-2001.

The following is a summary of the QC results accompanying these sample results and a description of any problems encountered during their analyses:

1. The cooler temperature upon receipt has been recorded on the chain-of-custody.
2. Samples were analyzed within required holding time.
3. Non-target compounds were not detected in the samples.
4. All surrogate recoveries were within EPA QC limits.
5. All matrix spike recoveries were within EPA QC limits.
6. All blank spike recoveries were within EPA QC limits.
7. The method blanks contained the common laboratory contaminant Methylene Chloride at a level less than 2x the CRQL.
8. Internal standard area and retention time criteria were met.
9. A spectral search was performed for Decane; however, it was not detected in the samples.
10. "I certify that this sample data package is in compliance with SOW requirements, both technically and for completeness, other than the conditions detailed above. Release of the data contained in this hard-copy data package has been authorized by the Laboratory Manager or a designee, as verified by the following signature."


J. Michael Taylor
President

Lionville Laboratory Incorporated

11/23/01
Date

son\group\data\vol\tnu-hanford\0111-258.doc

The results presented in this report relate only to the analytical testing and conditions of the samples at receipt and during storage. All pages of this report are integral parts of the analytical data. Therefore, this report should only be reproduced in its entirety of 10 pages.

GLOSSARY OF VOA DATA

ABBREVIATIONS

BS	=	Indicates blank spike in which reagent grade water is spiked with the CLP matrix spike solutions and carried through all the steps in the method. Spike recoveries are reported.
BSD	=	Indicates blank spike duplicate.
MS	=	Indicates matrix spike.
MSD	=	Indicates matrix spike duplicate.
DL	=	Suffix added to sample number to indicate that results are from a diluted analysis.
NA	=	Not Applicable.
DF	=	Dilution Factor.
NR	=	Not Required.
SP, Z	=	Indicates Spiked Compound.

GLOSSARY OF VOA DATA

DATA QUALIFIERS

- U** = Compound was analyzed for but not detected. The associated numerical value is the estimated sample quantitation limit which is included and corrected for dilution and percent moisture.
- J** = Indicates an estimated value. This flag is used under the following circumstances: 1) when estimating a concentration for tentatively identified compounds (TICs) where a 1:1 response is assumed; or 2) when the mass spectral data indicate the presence of a compound that meets the identification criteria but the result is less than the specified detection limit but greater than zero. For example, if the limit of detection is 10 ug/L and a concentration of 3 ug/L is calculated, it is reported as 3J.
- B** = This flag is used when the analyte is found in the associated blank as well as in the sample. It indicates possible/probable blank contamination. This flag is also used for a TIC as well as for a positively identified TCL compound.
- E** = Indicates that the compound was detected beyond the calibration range and was subsequently analyzed at a dilution.
- D** = Identifies all compounds identified in an analysis at a secondary dilution factor.
- I** = Interference.
- NQ** = Result qualitatively confirmed but not able to quantify.
- N** = Indicates presumptive evidence of a compound. This flag is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It is applied to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the N code is not used.
- X** = This flag is used for a TIC compound which is quantified relative to a response factor generated from a daily calibration standard (rather than quantified relative to the closest internal standard).
- Y** = Additional qualifiers used as required are explained in the case narrative.

TECHNICAL FLAGS FOR MANUAL INTEGRATION

Manual quan modifications or integrations are performed routinely to improve the data quality for a variety of technical reasons. Documentation of these modifications should be clear and concise. The following "flags" are used to indicate the technical reasons for quan modifications:

- MP** - Missed Peak: manually added peak not found by automatic quan program.
- PA** - Peak Assignment: quan report was changed to reflect correct peak assignment.
- RI** - Routine Integration: routine integrations are performed for some analytes that are consistently integrated improperly by the automatic integration programs. Examples are the dichlorobenzene isomers on the VOA packed column and benzo(b)fluoranthene/benzo(k)fluoranthene which are poorly resolved on the BNA column.
- SP** - Split Peak: the automatic integration improperly split the peak; a manual integration was performed to get the correct area.
- CB** - Coelution/Background: peak was manually integrated to eliminate contribution from coeluting compounds, background signal, or other interference.
- PI** - Proper Integration: a peak with poor or inconsistent integration (e.g., excessive tail) was properly integrated manually.

Lionville Laboratory, Inc.

Volatiles by GC/MS, HSL List

Report Date: 11/12/01 12:23

RFW Batch Number: 0111L258

Client: TNU-HANFORD B02-007

Work Order: 11343606001 Page: 1a

Cust ID:		B13C83	B13CT0	B13CT0	B13CT0	VBLKJS	VBLKJS BS
Sample RFW#:		001	002	002 MS	002 MSD	01LVX487-MB1	01LVX487-MB1
Information Matrix:		WATER	WATER	WATER	WATER	WATER	WATER
D.F.:		1.00	1.00	1.00	1.00	1.00	1.00
Units:		ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
Toluene-d8		100 %	100 %	101 %	101 %	97 %	99 %
Surrogate	Bromofluorobenzene	90 %	94 %	94 %	96 %	91 %	98 %
Recovery	1,2-Dichloroethane-d4	97 %	95 %	89 %	92 %	99 %	96 %
=====fl=====fl=====fl=====fl=====fl=====fl=====fl=====							
Chloromethane		10 U	10 U	10 U	10 U	10 U	10 U
Bromomethane		10 U	10 U	10 U	10 U	10 U	10 U
Vinyl Chloride		10 U	10 U	10 U	10 U	10 U	10 U
Chloroethane		10 U	10 U	10 U	10 U	10 U	10 U
Methylene Chloride		6 B	7 B	7 B	8 B	9	8 B
Acetone		10 U	10 U	10 U	10 U	10 U	10 U
Carbon Disulfide		5 U	5 U	5 U	5 U	5 U	5 U
1,1-Dichloroethene		5 U	5 U	85 %	84 %	5 U	81 %
1,1-Dichloroethane		5 U	5 U	5 U	5 U	5 U	5 U
1,2-Dichloroethene (total)		5 U	5 U	5 U	5 U	5 U	5 U
Chloroform		5 U	5 U	5 U	5 U	5 U	5 U
1,2-Dichloroethane		5 U	5 U	5 U	5 U	5 U	5 U
2-Butanone		10 U	10 U	10 U	10 U	10 U	1 J
1,1,1-Trichloroethane		5 U	5 U	5 U	5 U	5 U	5 U
Carbon Tetrachloride		5 U	5 U	5 U	5 U	5 U	5 U
Bromodichloromethane		5 U	5 U	5 U	5 U	5 U	5 U
1,2-Dichloropropane		5 U	5 U	5 U	5 U	5 U	5 U
cis-1,3-Dichloropropene		5 U	5 U	5 U	5 U	5 U	5 U
Trichloroethene		5 U	5 U	101 %	101 %	2 J	95 %
Dibromochloromethane		5 U	5 U	5 U	5 U	5 U	5 U
1,1,2-Trichloroethane		5 U	5 U	5 U	5 U	5 U	5 U
Benzene		5 U	5 U	89 %	92 %	5 U	89 %
Trans-1,3-Dichloropropene		5 U	5 U	5 U	5 U	5 U	5 U
Bromoform		5 U	5 U	5 U	5 U	5 U	5 U
4-Methyl-2-pentanone		10 U	10 U	10 U	10 U	10 U	10 U
2-Hexanone		10 U	10 U	10 U	10 U	10 U	10 U
Tetrachloroethene		5 U	5 U	5 U	5 U	5 U	5 U
1,1,2,2-Tetrachloroethane		5 U	5 U	5 U	5 U	5 U	5 U
Toluene		5 U	5 U	100 %	99 %	5 U	94 %

*= Outside of EPA CLP QC limits.

Cust ID: B13C83 B13CT0 B13CT0 B13CT0 VBLKJS VBLKJS BS

RFW#: 001 002 002 MS 002 MSD 01LVX487-MB1 01LVX487-MB1

Chlorobenzene	5 U	5 U	99 %	100 %	5 U	93 %
Ethylbenzene	5 U	5 U	5 U	5 U	5 U	5 U
Styrene	5 U	5 U	5 U	5 U	5 U	5 U
Xylene (total)	5 U	5 U	5 U	5 U	5 U	5 U

*= Outside of EPA CLP QC limits.

FIELD PERSONNEL: COMPLETE ONLY SHADED AREAS



0411258

Client <u>INLA HANFORD</u> <u>B02-007</u>				Refrigerator #		1		2										2		2		2							
Est. Final Proj. Sampling Date				#/Type Container		Liquid		1AG		1AG								1AG		1AG		1AG							
Project # <u>11343-606-001-9999-00</u>				Volume		Liquid		400		1000								L		L		L		500					
Project Contact/Phone #				Preservatives		HCl		-										HNO3		HNO3		HNO3		HNO3					
Lionville Laboratory Project Manager <u>OT</u>				ANALYSES REQUESTED		ORGANIC												INORG		Metal		N		N		N		N	
QC <u>SPEC</u> Del <u>STD</u> TAT <u>15 day</u>				Date Rec'd <u>11-2-01</u> Date Due <u>11-17-01</u>		VOA		BNA		Pest/PCB		Herb																	
MATRIX CODES:				Lab ID		Client ID/Description		Matrix		Date Collected		Time Collected		Lionville Laboratory Use Only															
S - Soil																													
SE - Sediment																													
SO - Solid																													
SL - Sludge																													
W - Water																													
O - Oil																													
A - Air																													
DS - Drum Solids																													
DL - Drum Liquids																													
L - EP/TCLP Leachate																													
WI - Wipe																													
X - Other																													
F - Fish																													

Special Instructions:

DATE/REVISIONS:

1. ACTO 1. As, Ba, Cd, Cr, Pb, Se, Ag, Be, Cu, Ni, V, Zn2. IC 2. ICCL, IFL, ICNO3, ICNO2, ICPO4, IESOL3. Cancel 0624X Add 0624H + 0625C

4. _____

5. _____

6. _____

Lionville Laboratory Use Only

Samples were:
1) Shipped ☒ or
Hand Delivered _____Amb # Substrate

2) Ambient or Chilled

3) Received in Good Condition ☒ or N4) Samples Properly Preserved ☒ or N5) Received Within Holding Times ☒ or N

Tampor Resistant Seal was:

1) Present on Outer Package ☒ or N2) Unbroken on Outer Package ☒ or N3) Present on Sample ☒ or N4) Unbroken on Sample ☒ or NCOC Record Present Upon Sample Rec'd ☒ or NCooler Temp. 4 °C

Relinquished by	Received by	Date	Time
<u>Fed Ep</u>	<u>W. H. H.</u>	<u>11/2/01</u>	<u>0935</u>

Relinquished by	Received by	Date	Time
COMPOSITE WASTE	ORIGINAL		
	REWRITTEN		

Discrepancies Between Samples Labels and COC Record? Y or N

NOTES: 4235 7954 8545

Bechtel Hanford Inc.		CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST				B02-007-02		Page 1 of 1		
Collector Thomas, G/Watson, D		Company Contact Cearlock, CS		Telephone No. 372-9638		Project Coordinator TRENT, SJ		Price Code 7K		
Project Designation 200 Area Source Characterization 200-CS-1 OU - QC Sample		Sampling Location 200 East & West		SAF No. B02-007		Air Quality <input type="checkbox"/>		Data Turnaround 45 Days <i>15 Day</i>		
Ice Chest No. See DSPC		Field Logbook No. EZ-1551		COA XL2002CHGR		Method of Shipment Fed Ex				
Shipped To PSW 18-101 RERA		Offsite Property No. A020018		Bill of Lading/Air Bill No. See DSPC						
POSSIBLE SAMPLE HAZARDS/REMARKS Samples did not originate in radiological controlled area. No total activity associated with sample/samples. Special handling and/or storage RT 11-1-01			Preservation	HCl or H2SO4 to pH < 2.00						
			Type of Container	as*						
			No. of Container(s)	1						
			Volume	40mL						
SAMPLE ANALYSIS				VOA - 8260A (TCL); VOA - 8260A (Add-On) (1-Propanol, Ethanol)						
Sample No.	Matrix *	Sample Date	Sample Time							
B13C83	WATER	10/29/01	0640	X						
CHAIN OF POSSESSION				SPECIAL INSTRUCTIONS						
Relinquished By/Removed From		Date/Time		Received By/Stored In		Date/Time		SPECIAL INSTRUCTIONS ** Laboratory is to measure pH within 24 hours of sample receipt. ** The ERC acknowledges the 48-hour holding time will not be met for Nitrate using EPA method 300.0. ** The laboratory is to report Decane as a TIC if present in detectable quantities. Samples stored in Ref. # 1A at the 3728 Shipping Facility on 10/30/01. Collector not available to relinquish samples on 11/1/01 for shipment. RT 11-1-01		
DS WATSON/STUART		10-30-01 1215		REF-1A 3728		10/30/01 1215				
Ref 1A 3728		11-1-01 0900		R. R. R. THOMAS		11-1-01 0900				
R. R. R. THOMAS		11-1-01 0900		F. E. O. J.		11-1-01 0900				
F. E. O. J.		11/2/01 0935		V. Hernandez		11-2-01 0935				
Relinquished By/Removed From		Date/Time		Received By/Stored In		Date/Time		Matrix * S-Soil SO-Solid SL-Sludge W-Water O-Oil A-Air DS-Drum Solid DL-Drum Liquid T-Tissue WS-Wipe L-Liquid V-Vegetation X-Other		
Relinquished By/Removed From		Date/Time		Received By/Stored In		Date/Time				
Relinquished By/Removed From		Date/Time		Received By/Stored In		Date/Time				
Relinquished By/Removed From		Date/Time		Received By/Stored In		Date/Time				
LABORATORY SECTION		Received By		Title		Date/Time				
FINAL SAMPLE DISPOSITION		Disposal Method		Disposed By		Date/Time				

Bechtel Hanford Inc.		CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST						B02-007-03		Page 1 of 1						
Collector Watson, D/Bowers DL		Company Contact Cearlock, CS		Telephone No. 372-9638		Project Coordinator TRENT, SJ		Price Code 7N		Data Turnaround 45 Days						
Project Designation 200 Area Source Characterization 200-CS-1 OU - QC Sample		Sampling Location 200 East & West		SAF No. B02-007				Air Quality <input type="checkbox"/>								
Ice Chest No. <u>SEE OSPC</u>		Field Logbook No. EL1551		COA B20C81673C		Method of Shipment Fed Ex										
Shipped To TMA/RECRA		Offsite Property No. <u>A020018</u>		Bill of Lading/Air Bill No. <u>SEE OSPC</u>												
POSSIBLE SAMPLE HAZARDS/REMARKS Samples did not originate in radiological controlled area. No total activity associated with sample/samples. Special Handling and/or Storage				Preservation		HCl or H2SO4 to pH < 2	Cool 4C	HNO3 to pH < 2	H2SO4 to pH < 2 Cool 4C	Cool 4C	ZnAs+H2O2 to pH > 9 Cool	HNO3 to pH < 2	HCl or H2SO4 to pH < 2 Cool			
				Type of Container		aG*	aG	aG	aG	aG	aG					
				No. of Container(s)		3	2	1	1	1	1	2				
				Volume		40mL	1000mL	1000mL	1000mL	1000mL	500mL	1000mL	40mL			
SAMPLE ANALYSIS				VOA - 8260A (TCL); VOA - 8260A (Add-On) (1-Propanol, Ethanol)		Semi-VOA - 8270A (Add-On) (Tributyl phosphate)		See item (1) in Special Instructions.		NO2/NO3 - 353.1; Ammonia - 350.3		See item (2) in Special Instructions.		Sulfides - 9830		
												Chrom/Alphac; Gross Beta		VOA - 8260A (TCL); VOA - 8260A (Add-On) (1-Propanol, Ethanol)		
Sample No.		Matrix *		Sample Date		Sample Time										
B13CT0		WATER		10-31-01		1500		X		X		X		X		
B13GT1		WATER		10-31-01												
CHAIN OF POSSESSION						SPECIAL INSTRUCTIONS						Matrix * S=Soil SS=Sludge SO=Solid SL=Sludge W=Water O=Oil A=Air DS=Drum Solid DL=Drum Liquid T=Time WP=Wipe L=Liquid V=Vegetation Z=Other				
Relinquished By/Removed From		Date/Time		Received By/Stored In		Date/Time		** Laboratory is to measure pH within 24 hours of sample receipt. ** The ERC acknowledges the 48-hour holding time will not be met for Nitrate using EPA method 300.0. ** The laboratory is to report Dioxane as a TIC if present in detectable quantities. (1) ICP Metals - 6010A (Supertrace) (Arsenic, Barium, Cadmium, Chromium, Lead, Selenium, Silver); ICP Metals - 6010A (Supertrace Add-On) (Beryllium, Copper, Nickel, Vanadium, Zinc) (2) IC Anions - 300.0 (Chloride, Fluoride, Nitrate, Nitrite, Phosphate, Sulfate); pH (Water) - 9040 Samples stored in Ref. <u>2A</u> at the 3728 Shipping Facility on <u>10/31/01</u> . Collector not available to relinquish samples on <u>11/1/01</u> for shipment.								
Relinquished By/Removed From		Date/Time		Received By/Stored In		Date/Time										
Relinquished By/Removed From		Date/Time		Received By/Stored In		Date/Time										
Relinquished By/Removed From		Date/Time		Received By/Stored In		Date/Time										
Relinquished By/Removed From		Date/Time		Received By/Stored In		Date/Time										
LABORATORY SECTION		Received By		Title		Date/Time										
FINAL SAMPLE DISPOSITION		Disposal Method		Disposed By		Date/Time										